

製品仕上がり高さの目安

実際の製品仕上がり高さは、発注寸法の高さに対して下表の通りです。製品高さを決める際にご確認ください。

※製品の仕様特性上、誤差が生じることがあります。

ベネウッド [ループコードタイプ]

ベネウッドタッチ [自動降下タイプ]

単位：mm

発注寸法 高さ	製品仕上がり 高さ	発注寸法 高さ	製品仕上がり 高さ
500~ 530	530	2,480~ 2,510	2,510
540~ 570	570	2,520~ 2,550	2,550
580~ 620	620	2,560~ 2,600	2,600
630~ 660	660	2,610~ 2,640	2,640
670~ 700	700	2,650~ 2,680	2,680
710~ 750	750	2,690~ 2,720	2,720
760~ 790	790	2,730~ 2,770	2,770
800~ 830	830	2,780~ 2,810	2,810
840~ 880	880	2,820~ 2,850	2,850
890~ 920	920	2,860~ 2,900	2,900
930~ 960	960	2,910~ 2,940	2,940
970~ 1,000	1,000	2,950~ 2,980	2,980
1,010~ 1,050	1,050	2,990~ 3,000	3,020
1,060~ 1,090	1,090		
1,100~ 1,130	1,130		
1,140~ 1,180	1,180		
1,190~ 1,220	1,220		
1,230~ 1,260	1,260		
1,270~ 1,310	1,310		
1,320~ 1,350	1,350		
1,360~ 1,390	1,390		
1,400~ 1,430	1,430		
1,440~ 1,480	1,480		
1,490~ 1,520	1,520		
1,530~ 1,560	1,560		
1,570~ 1,610	1,610		
1,620~ 1,650	1,650		
1,660~ 1,690	1,690		
1,700~ 1,740	1,740		
1,750~ 1,780	1,780		
1,790~ 1,820	1,820		
1,830~ 1,860	1,860		
1,870~ 1,910	1,910		
1,920~ 1,950	1,950		
1,960~ 1,990	1,990		
2,000~ 2,040	2,040		
2,050~ 2,080	2,080		
2,090~ 2,120	2,120		
2,130~ 2,170	2,170		
2,180~ 2,210	2,210		
2,220~ 2,250	2,250		
2,260~ 2,290	2,290		
2,300~ 2,340	2,340		
2,350~ 2,380	2,380		
2,390~ 2,420	2,420		
2,430~ 2,470	2,470		

ベネウッド小窓 [コード&ロッドタイプ]

単位：mm

発注寸法 高さ	製品仕上がり 高さ	発注寸法 高さ	製品仕上がり 高さ
300	300	2,240~ 2,280	2,280
310~ 340	340	2,290~ 2,320	2,320
350~ 380	380	2,330~ 2,360	2,360
390~ 430	430	2,370~ 2,410	2,410
440~ 470	470	2,420~ 2,450	2,450
480~ 510	510	2,460~ 2,490	2,490
520~ 560	560	2,500	2,530
570~ 600	600		
610~ 640	640		
650~ 690	690		
700~ 730	730		
740~ 770	770		
780~ 810	810		
820~ 860	860		
870~ 900	900		
910~ 940	940		
950~ 990	990		
1,000~ 1,030	1,030		
1,040~ 1,070	1,070		
1,080~ 1,120	1,120		
1,130~ 1,160	1,160		
1,170~ 1,200	1,200		
1,210~ 1,240	1,240		
1,250~ 1,290	1,290		
1,300~ 1,330	1,330		
1,340~ 1,370	1,370		
1,380~ 1,420	1,420		
1,430~ 1,460	1,460		
1,470~ 1,500	1,500		
1,510~ 1,550	1,550		
1,560~ 1,590	1,590		
1,600~ 1,630	1,630		
1,640~ 1,670	1,670		
1,680~ 1,720	1,720		
1,730~ 1,760	1,760		
1,770~ 1,800	1,800		
1,810~ 1,850	1,850		
1,860~ 1,890	1,890		
1,900~ 1,930	1,930		
1,940~ 1,980	1,980		
1,990~ 2,020	2,020		
2,030~ 2,060	2,060		
2,070~ 2,100	2,100		
2,110~ 2,150	2,150		
2,160~ 2,190	2,190		
2,200~ 2,230	2,230		

製品仕上がり高さの目安

実際の製品仕上がり高さは、発注寸法の高さに対して下表の通りです。製品高さを決める際にご確認ください。

※製品の仕様特性上、誤差が生じることがあります。

ベネウッド [ループコードタイプ]

ベネウッドタッチ [自動降下タイプ]

単位：mm

発注寸法 高さ	製品仕上がり 高さ	発注寸法 高さ	製品仕上がり 高さ
500 ~ 530	530	2,480 ~ 2,510	2,510
540 ~ 570	570	2,520 ~ 2,550	2,550
580 ~ 620	620	2,560 ~ 2,600	2,600
630 ~ 660	660	2,610 ~ 2,640	2,640
670 ~ 700	700	2,650 ~ 2,680	2,680
710 ~ 750	750	2,690 ~ 2,720	2,720
760 ~ 790	790	2,730 ~ 2,770	2,770
800 ~ 830	830	2,780 ~ 2,810	2,810
840 ~ 880	880	2,820 ~ 2,850	2,850
890 ~ 920	920	2,860 ~ 2,900	2,900
930 ~ 960	960	2,910 ~ 2,940	2,940
970 ~ 1,000	1,000	2,950 ~ 2,980	2,980
1,010 ~ 1,050	1,050	2,990 ~ 3,000	3,020
1,060 ~ 1,090	1,090		
1,100 ~ 1,130	1,130		
1,140 ~ 1,180	1,180		
1,190 ~ 1,220	1,220		
1,230 ~ 1,260	1,260		
1,270 ~ 1,310	1,310		
1,320 ~ 1,350	1,350		
1,360 ~ 1,390	1,390		
1,400 ~ 1,430	1,430		
1,440 ~ 1,480	1,480		
1,490 ~ 1,520	1,520		
1,530 ~ 1,560	1,560		
1,570 ~ 1,610	1,610		
1,620 ~ 1,650	1,650		
1,660 ~ 1,690	1,690		
1,700 ~ 1,740	1,740		
1,750 ~ 1,780	1,780		
1,790 ~ 1,820	1,820		
1,830 ~ 1,860	1,860		
1,870 ~ 1,910	1,910		
1,920 ~ 1,950	1,950		
1,960 ~ 1,990	1,990		
2,000 ~ 2,040	2,040		
2,050 ~ 2,080	2,080		
2,090 ~ 2,120	2,120		
2,130 ~ 2,170	2,170		
2,180 ~ 2,210	2,210		
2,220 ~ 2,250	2,250		
2,260 ~ 2,290	2,290		
2,300 ~ 2,340	2,340		
2,350 ~ 2,380	2,380		
2,390 ~ 2,420	2,420		
2,430 ~ 2,470	2,470		

ベネウッド小窓 [コード&ロッドタイプ]

単位：mm

発注寸法 高さ	製品仕上がり 高さ	発注寸法 高さ	製品仕上がり 高さ
300	300	2,240 ~ 2,280	2,280
310 ~ 340	340	2,290 ~ 2,320	2,320
350 ~ 380	380	2,330 ~ 2,360	2,360
390 ~ 430	430	2,370 ~ 2,410	2,410
440 ~ 470	470	2,420 ~ 2,450	2,450
480 ~ 510	510	2,460 ~ 2,490	2,490
520 ~ 560	560	2,500	2,530
570 ~ 600	600		
610 ~ 640	640		
650 ~ 690	690		
700 ~ 730	730		
740 ~ 770	770		
780 ~ 810	810		
820 ~ 860	860		
870 ~ 900	900		
910 ~ 940	940		
950 ~ 990	990		
1,000 ~ 1,030	1,030		
1,040 ~ 1,070	1,070		
1,080 ~ 1,120	1,120		
1,130 ~ 1,160	1,160		
1,170 ~ 1,200	1,200		
1,210 ~ 1,240	1,240		
1,250 ~ 1,290	1,290		
1,300 ~ 1,330	1,330		
1,340 ~ 1,370	1,370		
1,380 ~ 1,420	1,420		
1,430 ~ 1,460	1,460		
1,470 ~ 1,500	1,500		
1,510 ~ 1,550	1,550		
1,560 ~ 1,590	1,590		
1,600 ~ 1,630	1,630		
1,640 ~ 1,670	1,670		
1,680 ~ 1,720	1,720		
1,730 ~ 1,760	1,760		
1,770 ~ 1,800	1,800		
1,810 ~ 1,850	1,850		
1,860 ~ 1,890	1,890		
1,900 ~ 1,930	1,930		
1,940 ~ 1,980	1,980		
1,990 ~ 2,020	2,020		
2,030 ~ 2,060	2,060		
2,070 ~ 2,100	2,100		
2,110 ~ 2,150	2,150		
2,160 ~ 2,190	2,190		
2,200 ~ 2,230	2,230		

製品仕上がり高さの目安

実際の製品仕上がり高さは、発注寸法の高さに対して下表の通りです。製品高さを決める際にご確認ください。

※製品の仕様特性上、誤差が生じることがあります。

ベネウッド [ループコードタイプ]

ベネウッドタッチ [自動降下タイプ]

単位：mm

発注寸法 高さ	製品仕上がり 高さ	発注寸法 高さ	製品仕上がり 高さ
500 ~ 530	530	2,480 ~ 2,510	2,510
540 ~ 570	570	2,520 ~ 2,550	2,550
580 ~ 620	620	2,560 ~ 2,600	2,600
630 ~ 660	660	2,610 ~ 2,640	2,640
670 ~ 700	700	2,650 ~ 2,680	2,680
710 ~ 750	750	2,690 ~ 2,720	2,720
760 ~ 790	790	2,730 ~ 2,770	2,770
800 ~ 830	830	2,780 ~ 2,810	2,810
840 ~ 880	880	2,820 ~ 2,850	2,850
890 ~ 920	920	2,860 ~ 2,900	2,900
930 ~ 960	960	2,910 ~ 2,940	2,940
970 ~ 1,000	1,000	2,950 ~ 2,980	2,980
1,010 ~ 1,050	1,050	2,990 ~ 3,000	3,020
1,060 ~ 1,090	1,090		
1,100 ~ 1,130	1,130		
1,140 ~ 1,180	1,180		
1,190 ~ 1,220	1,220		
1,230 ~ 1,260	1,260		
1,270 ~ 1,310	1,310		
1,320 ~ 1,350	1,350		
1,360 ~ 1,390	1,390		
1,400 ~ 1,430	1,430		
1,440 ~ 1,480	1,480		
1,490 ~ 1,520	1,520		
1,530 ~ 1,560	1,560		
1,570 ~ 1,610	1,610		
1,620 ~ 1,650	1,650		
1,660 ~ 1,690	1,690		
1,700 ~ 1,740	1,740		
1,750 ~ 1,780	1,780		
1,790 ~ 1,820	1,820		
1,830 ~ 1,860	1,860		
1,870 ~ 1,910	1,910		
1,920 ~ 1,950	1,950		
1,960 ~ 1,990	1,990		
2,000 ~ 2,040	2,040		
2,050 ~ 2,080	2,080		
2,090 ~ 2,120	2,120		
2,130 ~ 2,170	2,170		
2,180 ~ 2,210	2,210		
2,220 ~ 2,250	2,250		
2,260 ~ 2,290	2,290		
2,300 ~ 2,340	2,340		
2,350 ~ 2,380	2,380		
2,390 ~ 2,420	2,420		
2,430 ~ 2,470	2,470		

ベネウッド小窓 [コード&ロッドタイプ]

単位：mm

発注寸法 高さ	製品仕上がり 高さ	発注寸法 高さ	製品仕上がり 高さ
300	300	2,240 ~ 2,280	2,280
310 ~ 340	340	2,290 ~ 2,320	2,320
350 ~ 380	380	2,330 ~ 2,360	2,360
390 ~ 430	430	2,370 ~ 2,410	2,410
440 ~ 470	470	2,420 ~ 2,450	2,450
480 ~ 510	510	2,460 ~ 2,490	2,490
520 ~ 560	560	2,500	2,530
570 ~ 600	600		
610 ~ 640	640		
650 ~ 690	690		
700 ~ 730	730		
740 ~ 770	770		
780 ~ 810	810		
820 ~ 860	860		
870 ~ 900	900		
910 ~ 940	940		
950 ~ 990	990		
1,000 ~ 1,030	1,030		
1,040 ~ 1,070	1,070		
1,080 ~ 1,120	1,120		
1,130 ~ 1,160	1,160		
1,170 ~ 1,200	1,200		
1,210 ~ 1,240	1,240		
1,250 ~ 1,290	1,290		
1,300 ~ 1,330	1,330		
1,340 ~ 1,370	1,370		
1,380 ~ 1,420	1,420		
1,430 ~ 1,460	1,460		
1,470 ~ 1,500	1,500		
1,510 ~ 1,550	1,550		
1,560 ~ 1,590	1,590		
1,600 ~ 1,630	1,630		
1,640 ~ 1,670	1,670		
1,680 ~ 1,720	1,720		
1,730 ~ 1,760	1,760		
1,770 ~ 1,800	1,800		
1,810 ~ 1,850	1,850		
1,860 ~ 1,890	1,890		
1,900 ~ 1,930	1,930		
1,940 ~ 1,980	1,980		
1,990 ~ 2,020	2,020		
2,030 ~ 2,060	2,060		
2,070 ~ 2,100	2,100		
2,110 ~ 2,150	2,150		
2,160 ~ 2,190	2,190		
2,200 ~ 2,230	2,230		

製品仕上がり高さの目安

実際の製品仕上がり高さは、発注寸法の高さに対して下表の通りです。製品高さを決める際にご確認ください。

※製品の仕様特性上、誤差が生じることがあります。

ベネウッド [ループコードタイプ]

単位：mm

発注寸法 高さ	製品仕上がり 高さ	発注寸法 高さ	製品仕上がり 高さ
500 ~ 510	510	1,870 ~ 1,890	1,890
520 ~ 540	540	1,900 ~ 1,920	1,920
550 ~ 570	570	1,930 ~ 1,950	1,950
580 ~ 600	600	1,960 ~ 1,980	1,980
610 ~ 630	630	1,990 ~ 2,010	2,010
640 ~ 660	660	2,020 ~ 2,040	2,040
670 ~ 690	690	2,050 ~ 2,070	2,070
700 ~ 720	720	2,080 ~ 2,100	2,100
730 ~ 750	750	2,110 ~ 2,130	2,130
760 ~ 780	780	2,140 ~ 2,160	2,160
790 ~ 810	810	2,170 ~ 2,190	2,190
820 ~ 840	840	2,200 ~ 2,220	2,220
850 ~ 870	870	2,230 ~ 2,250	2,250
880 ~ 900	900	2,260 ~ 2,280	2,280
910 ~ 930	930	2,290 ~ 2,310	2,310
940 ~ 960	960	2,320 ~ 2,340	2,340
970 ~ 990	990	2,350 ~ 2,370	2,370
1,000 ~ 1,020	1,020	2,380 ~ 2,400	2,400
1,030 ~ 1,050	1,050	2,410 ~ 2,430	2,430
1,060 ~ 1,080	1,080	2,440 ~ 2,460	2,460
1,090 ~ 1,110	1,110	2,470 ~ 2,490	2,490
1,120 ~ 1,140	1,140	2,500	2,520
1,150 ~ 1,170	1,170		
1,180 ~ 1,200	1,200		
1,210 ~ 1,230	1,230		
1,240 ~ 1,260	1,260		
1,270 ~ 1,290	1,290		
1,300 ~ 1,320	1,320		
1,330 ~ 1,350	1,350		
1,360 ~ 1,380	1,380		
1,390 ~ 1,410	1,410		
1,420 ~ 1,440	1,440		
1,450 ~ 1,470	1,470		
1,480 ~ 1,500	1,500		
1,510 ~ 1,530	1,530		
1,540 ~ 1,560	1,560		
1,570 ~ 1,590	1,590		
1,600 ~ 1,620	1,620		
1,630 ~ 1,650	1,650		
1,660 ~ 1,680	1,680		
1,690 ~ 1,710	1,710		
1,720 ~ 1,740	1,740		
1,750 ~ 1,770	1,770		
1,780 ~ 1,800	1,800		
1,810 ~ 1,830	1,830		
1,840 ~ 1,860	1,860		